

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	46386	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L2	2344	L1 and (gene or nucleic or genom \$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L3	2202	L2 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L4	2201	L3 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L5	84	L4 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L6	60	L4 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L7	448	L4 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14

L8	25	L7 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L9	287	L7 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L10	14	L8 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L11	118	L7 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L12	5	L7 and ((quality near2 control) near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L13	53	L11 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L14	81	L11 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L15	46386	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14

L16	2344	L15 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L17	2202	L16 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L18	2201	L17 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L19	84	L18 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L20	60	L18 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L21	448	L18 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L22	25	L21 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L23	287	L21 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L24	14	L22 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14

L25	118	L21 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L26	5	L21 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L27	53	L25 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L28	81	L25 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L29	46386	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L30	2344	L29 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L31	2202	L30 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L32	2201	L31 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14

L33	84	L32 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L34	60	L32 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L35	448	L32 and client- server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L36	25	L35 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L37	287	L35 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L38	14	L36 and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L39	118	L35 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L40	5	L35 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L41	53	L39 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14

L42	81	L39 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L43	46386	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L44	2344	L43 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L45	2202	L44 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L46	2201	L45 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L47	84	L46 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L48	60	L46 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L49	448	L46 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14

L50	25	L49 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L51	287	L49 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L52	14	L50 and L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L53	118	L49 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L54	5	L49 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L55	53	L53 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
L56	81	L53 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 10:14
S1	37175	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:09

S2	1943	S1 and (gene or nucleic or genom \$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:10
S3	1828	S2 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:11
S4	1827	S3 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:11
S5	76	S4 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:12
S6	56	S4 and (genotyp \$6 near1 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:12
S7	378	S4 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:13
S8	24	S7 and (genotyp \$6 near2 analys \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:13
S9	251	S7 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:14
S10	14	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:14

S11	105	S7 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:15
S12	5	S7 and ((quality near2 control) near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:15
S13	47	S11 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:16
S14	71	S11 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 17:16
S15	39166	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S16	2030	S15 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S17	1913	S16 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S18	1912	S17 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56

S19	79	S18 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S20	57	S18 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S21	397	S18 and client- server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S22	24	S21 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S23	259	S21 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S24	14	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S25	108	S21 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S26	5	S21 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S27	48	S25 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56

S28	74	S25 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 08:56
S29	44022	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S30	2251	S29 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S31	2117	S30 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S32	2116	S31 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S33	83	S32 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S34	60	S32 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S35	431	S32 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46

S36	25	S35 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S37	279	S35 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S38	14	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S39	117	S35 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S40	5	S35 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S41	52	S39 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S42	80	S39 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S43	44022	(server same client) and (genotyp\$6 or microarray or genechip or array or bioarray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46

S44	2251	S43 and (gene or nucleic or genom\$6 or DNA or RNA or cDNA or protein or polypeptide or peptide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S45	2117	S44 and (database or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S46	2116	S45 and (system or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S47	83	S46 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S48	60	S46 and (genotyp\$6 near1 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S49	431	S46 and client-server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S50	25	S49 and (genotyp\$6 near2 analys\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S51	279	S49 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S52	14	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46

S53	117	S49 and (quality near2 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S54	5	S49 and ((quality near2 control)near (database or criteri\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S55	52	S53 and layout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46
S56	80	S53 and (patient or clinic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 19:46

8/31/2009 10:16:04 AM

C:\Documents and Settings\szhou1\My Documents\EAST\Workspaces\10765547.wsp